



B.PRO
CATERING SOLUTIONS

TRAY CLEARING TROLLEYS

The clearers: Clever assistants from B.PRO Catering Solutions.

TRAY CLEARING TROLLEYS QUICKLY ENSURE ORDER IN SELF-SERVICE AREAS, ENABLING THE SAFE RETURN OF DISHES EVEN DURING THE MOST CHAOTIC PEAK TIMES.

DURABLE


MORE SERVICE

EXTENSIVE ACCESSORIES


NEW PUSHING POWER

Tray clearing trolleys quickly ensure order.


SUPPORT AND SPACING OPTIONS



125 mm spacing



100 mm spacing




75 mm spacing



10 supports each with 125 mm spacing



12 supports each with 100 mm spacing



16 supports each with 75 mm spacing

The **B.PRO tray clearing trolleys** are available in several model variants – with shelf spacings of **125 mm**, **100 mm** or **75 mm**.

The newly developed designs with **support spacing** of just **75 mm** significantly increase capacity: More trays can be accommodated in exactly the same area, which

reduces both the number of trolleys needed and storage requirements.


Models with **crosswise insertion** also reduce width requirements, ideal for confined spaces or narrow aisles.

CLEAR B.BENEFITS


TRAY SUPPORTS WITH
INTEGRATED PUSH-
THROUGH PROTECTION
ON BOTH SIDES



ERGONOMIC
PUSH HANDLE
(OPTIONAL)



DURABLE WELDED
STAINLESS-STEEL
FRAMES



TROLLEY TOP MAIN OF
STAINLESS STEEL WITH
ALL-ROUND RAILING,
SIMPLY POSITIONED ON
THE FRAME CONSTRU-
TION, CAN BE REMOVED
FOR CLEANING WITHOUT
TOOLS (OPTIONAL)



REMOVABLE PANELLING
(OPTIONAL)



TRAY SUPPORT
FRAME COMPLETELY
REMOVABLE

THE STANDARD WALL
GUARDS PROTECT THE
UNIT AND FURNITURE

NICE VIEW

The durable, welded stainless-steel frame are now available in **4 new colours**.



NEW



The advantages of the **B.PRO Neutral Colours**? They are elegant and timeless. The high-quality, coloured coatings not only blend harmoniously into the desired room concept, they also increase the durability of the products. This makes our tray clearing trolleys real eye-catchers with true added value.

A FLEXIBLE SPACE- SAVING WONDER

The **TAW crosswise insertion** creates flexibility in confined spaces.



The models with **crosswise insertion** combine a high storage capacity with a compact design. This makes them the ideal solution for optimising the use of storage space and at the same time reduces the number of trolley changes.



**TYPICALLY
B.PRO:
MORE
QUALITY.
MORE
SERVICE.
MORE
OPTIONS.**




B.PRO TRAY CLEARING TROLLEYS

MODEL OVERVIEW



insert /compartments		model	tray capacity	tray height spacing	length	depth	height	order no.
Gastronorm trays (530 x 325 mm)		TAW 10 GN	10 GN-trays	125 mm	468	673	1550	574 240
		TAW 12 GN	12 GN-trays	100 mm	468	673	1550	574 325
		TAW 16 GN	16 GN-trays	75 mm	468	673	1550	575 361
		TAW 2 x 10 GN	20 GN-trays	125 mm	850	673	1550	574 243
		TAW 2 x 12 GN	24 GN-trays	100 mm	850	673	1550	574 328
		TAW 2 x 16 GN	32 GN-trays	75 mm	850	673	1550	575 363
		TAW 20 GN	20 GN-trays	125 mm	673	793	1550	575 393
		TAW 24 GN	24 GN-trays	100 mm	673	793	1550	575 394
		TAW 32 GN	32 GN-trays	75 mm	673	793	1550	575 395
Euronorm trays (530 x 370 mm)		TAW 10 EN	10 EN-trays	125 mm	513	673	1550	574 241
		TAW 12 EN	12 EN-trays	100 mm	513	673	1550	574 326
		TAW 16 EN	16 EN-trays	75 mm	513	673	1550	575 362
		TAW 2 x 10 EN	20 EN-trays	125 mm	940	673	1550	574 244
		TAW 2 x 12 EN	24 EN-trays	100 mm	940	673	1550	574 329
		TAW 2 x 16 EN	32 EN-trays	75 mm	940	673	1550	575 364
		TAW 20 EN	20 EN-trays	125 mm	673	883	1550	575 396
		TAW 24 EN	24 EN-trays	100 mm	673	883	1550	575 397
		TAW 32 EN	32 EN-trays	75 mm	673	883	1550	575 398
canteen trays (460 x 344 mm)		TAW 10 KN	10 KN-trays	125 mm	487	607	1550	574 242
		TAW 12 KN	12 KN-trays	100 mm	487	607	1550	574 327
		TAW 2 x 10 KN	20 KN-trays	125 mm	888	607	1550	574 245
		TAW 2 x 12 KN	24 KN-trays	100 mm	888	607	1550	574 330

B.PRO TRAY CLEARING TROLLEYS

	LENGTHWISE INSERTION  								LENGTHWISE INSERTION  							
	TAW 12	TAW 16 with accessories							TAW 2 x 12	TAW 2 x 16 with accessories						
MODEL	TAW 10 GN	TAW 10 EN	TAW 10 KN	TAW 12 GN	TAW 12 EN	TAW 12 KN	TAW 16 GN	TAW 16 EN	TAW 2 x 10 GN	TAW 2 x 10 EN	TAW 2 x 10 KN	TAW 2 x 12 GN	TAW 2 x 12 EN	TAW 2 x 12 KN	TAW 2 x 16 GN	TAW 2 x 16 EN
design	Tray clearing trolley, 1-piece, accessible from both sides								Tray clearing trolley, 1-piece, accessible from both sides							
Gastronorm trays (530 x 325 mm)	X			X			X		X			X			X	
Euronorm trays (530 x 370 mm)		X			X			X		X			X			X
Canteen trays (460 x 344 mm)			X			X					X			X		
dimensions (L x W x H) in mm	468 x 673 x 1550	513 x 673 x 1550	487 x 607 x 1550	468 x 673 x 1550	513 x 673 x 1550	487 x 607 x 1550	468 x 673 x 1550	513 x 673 x 1550	850 x 673 x 1550	940 x 673 x 1550	888 x 607 x 1550	850 x 673 x 1550	940 x 673 x 1550	888 x 607 x 1550	850 x 673 x 1550	940 x 673 x 1550
support spacing	125 mm			100 mm			75 mm		125 mm			100 mm			75 mm	
capacity	10 GN-trays	10 EN-trays	10 KNtrays	12 GN-trays	12 EN-trays	12 KN-trays	16 GN-trays	16 EN-trays	20 GN-trays	20 EN-trays	20 KN-trays	24 GN-trays	24 EN-trays	24 KN-trays	32 GN-trays	32 EN-trays
load-bearing capacity / max. load per support pair	150 kg / 4,5 kg								150 kg / 4,5 kg							
castors	Synthetic castors, 125 mm in diameter, 4 steering castors, 2 of which have brakes								Synthetic castors, 125 mm in diameter, 4 steering castors, 2 of which have brakes							
special features	Tray supports with integrated push-through protection on both sides, tray support frame, completely removable								Tray supports with integrated push-through protection on both sides, tray support frame, completely removable							
material	made of corrosion-resistant steel								made of corrosion-resistant steel							
order no.	574 240	574 241	574 242	574 325	574 326	574 327	575 361	575 362	574 243	574 244	574 245	574 328	574 329	574 330	575 363	575 364

LENGTHWISE INSERTION

B.PRO TRAY CLEARING TROLLEYS – CROSSWISE INSERTION



TAW 20 with accessories

TAW 24

MODEL	TAW 20 GN	TAW 20 EN	TAW 24 GN	TAW 24 EN	TAW 32 GN	TAW 32 EN
design	Tray clearing trolley, 1-piece, accessible from both sides					
Gastronorm trays (530 x 325 mm)	X		X		X	
Euronorm trays (530 x 370 mm)		X		X		X
dimensions (L x W x H) in mm	673 x 793 x 1550	673 x 883 x 1550	673 x 793 x 1550	673 x 883 x 1550	673 x 793 x 1550	673 x 883 x 1550
support spacing	125 mm		100 mm		75 mm	
capacity	20 GN-trays	20 EN-trays	24 GN-trays	24 EN-trays	32 GN-trays	32 EN-trays
load-bearing capacity/max. load per support pair	150 kg / 9 kg					
castors	Synthetic castors, 125 mm in diameter, 4 steering castors, 2 of which have brakes					
special features	Tray supports with integrated push-through protection on both sides, tray support frame, completely removable					
material	made of corrosion-resistant steel					
order no.	575 393	575 396	575 394	575 397	575 395	575 398

CROSSWISE INSERTION

B.PRO BEVERAGE CRATE TRANSPORT TROLLEYS



BCTT 3 with accessories


BCTT 6 with accessories

MODEL	BCTT 3	BCTT 6
dimensions (L x W x H) in mm	468 x 673 x 1550	850 x 673 x 1550
capacity	3 beverage crates (max. 400 x 330 x 350 mm)	6 beverage crates (max. 400 x 330 x 350 mm)
load-bearing capacity	70 kg	
castors	Synthetic castors, 125 mm in diameter, 2 fixed and 2 steering castors, 2 of which have brakes	
special features	- Sturdy frame construction made of stainless steel - Welded supports for beverage crates, sloped with raised edge for a secure hold - Optional panelling for mounting on the BCTT. Can therefore be easily removed for cleaning. - Attachments like panelling and top can be retrofitted at any time	
material	made of corrosion-resistant steel	
order no.	575 384	575 385

B.PRO BEVERAGE CRATE TRANSPORT TROLLEYS



- COMPREHENSIVE ACCESSORIES (see also following pages)
- Side panelling on 2 sides, available coloured and in stainless steel
 - Side and rear wall panelling on 3 sides, available coloured and in stainless steel
 - Trolley top made of stainless steel with all-round railing – creates additional storage surface

OPTIONS AND ACCESSORIES

image	designation	for model	colours	order no.
Panelling on 2 sides, coloured, lime 	Side wall panelling on 2 sides, coloured panelling parts completely removable for cleaning, thin sheet, electrolytically galvanised on both sides, powder-coated in various colours	TAW 10 GN, TAW 12 GN, TAW 16 GN, TAW 10 EN, TAW 12 EN, TAW 16 EN, alle BCTT	Signal white Stone grey Graphite black Lime additional colours	574 845 574 854 574 863 574 881 *378 441
		all TAW KN	Signal white Stone grey Graphite black Lime additional colours	574 847 574 856 574 865 574 883 *378 443
		TAW 20 GN, TAW 24 GN, TAW 32 GN	all colours	*389 596
		TAW 20 EN, TAW 24 EN, TAW 32 EN	all colours	*389 597
	Side wall panelling on 2 sides, stainless steel panelling parts completely removable for cleaning	TAW 10 GN, TAW 12 GN, TAW 16 GN, TAW 10 EN, TAW 12 EN, TAW 16 EN, all BCTT		378 450
		all TAW KN		378 452
		TAW 20 GN, TAW 24 GN, TAW 32 GN		575 425
		TAW 20 EN, TAW 24 EN, TAW 32 EN		575 426

B.PRO COLOURS

NEUTRAL COLOURS

	
# GRAPHITE BLACK	# STONE GREY
	
#TRAFFIC GREY B	# SIGNAL WHITE

LIVING COLOURS

	
# BROOM YELLOW	# PETROL GREEN
	
# MERLOT RED	# SEA BLUE

FRESH COLOURS



	
# CANDY RED	# APPLE GREEN
	
# NEOMINT	# LIME

image	designation	for model	colours	order no.
Panelling on 3 sides, stainless steel 	Side and rear wall panelling on 3 sides, coloured panelling parts completely removable for cleaning, thin sheet, electrolytically galvanised on both sides, powder-coated in various colours	TAW 10 GN, TAW 12 GN, TAW 16 GN, BCTT 3	Signal white Stone grey Graphite black Lime additional colours	574 848 574 857 574 866 574 884 *378 444
		TAW 10 EN, TAW 12 EN, TAW 16 EN	Signal white Stone grey Graphite black Lime additional colours	574 849 574 858 574 867 574 885 *378 445
		TAW 10 KN, TAW 12 KN	Signal white Stone grey Graphite black Lime additional colours	574 850 574 859 574 868 574 886 *378 446
		TAW 2 x 10 GN, TAW 2 x 12 GN, TAW 2 x 16 GN, BCTT 6	Signal white Stone grey Graphite black Lime additional colours	574 851 574 860 574 869 574 887 *378 447
		TAW 2 x 10 EN, TAW 2 x 12 EN, TAW 2 x 16 EN	Signal white Stone grey Graphite black Lime additional colours	574 852 574 861 574 870 574 888 *378 448
		TAW 2 x 10 KN, TAW 2 x 12 KN	Signal white Stone grey Graphite black Lime additional colours	574 853 574 862 574 871 574 889 *378 449
		TAW 20 GN, TAW 24 GN, TAW 32 GN	all colours	*389 599
		TAW 20 EN, TAW 24 EN, TAW 32 EN	all colours	*389 600
	Side and rear wall panelling on 3 sides, stainless steel panelling parts completely removable for cleaning	TAW 10 GN, TAW 12 GN, TAW 16 GN, BCTT 3		378 453
		TAW 10 EN, TAW 12 EN, TAW 16 EN		378 454
		TAW 10 KN, TAW 12 KN		378 455
		TAW 2 x 10 GN, TAW 2 x 12 GN, TAW 2 x 16 GN, BCTT 6		378 456
		TAW 2 x 10 EN, TAW 2 x 12 EN, TAW 2 x 16 EN		378 457
		TAW 2 x 10 KN, TAW 2 x 12 KN		378 458
		TAW 20 GN, TAW 24 GN, TAW 32 GN		575 427
		TAW 20 EN, TAW 24 EN, TAW 32 EN		575 428

OPTIONS AND ACCESSORIES

image	designation		for model	order no.
	Doors, coloured Thin sheet, electrolytically galvanised double-sided, powder-coated in various colours	1 door, hinged on the right	TAW 10 GN, TAW 12 GN, TAW 16 GN	*379 935
			TAW 10 EN, TAW 12 EN, TAW 16 EN	*379 940
			TAW 10 KN, TAW 12 KN	*379 941
			TAW 20 GN, TAW 24 GN, TAW 32 GN, TAW 20 EN, TAW 24 EN, TAW 32 EN	*389 598
		2 hinged doors	TAW 2 x 10 GN, TAW 2 x 12 GN, TAW 2 x 16 GN	*379 942
			TAW 2 x 10 EN, TAW 2 x 12 EN, TAW 2 x 16 EN	*379 943
			TAW 2 x 10 KN, TAW 2 x 12 KN	*379 944
	Doors, stainless-steel	1 door, hinged on the right	TAW 10 GN, TAW 12 GN, TAW 16 GN	380 026
			TAW 10 EN, TAW 12 EN, TAW 16 EN	380 027
			TAW 10 KN, TAW 12 KN	380 028
			TAW 20 GN, TAW 24 GN, TAW 32 GN, TAW 20 EN, TAW 24 EN, TAW 32 EN	575 429
		2 hinged doors	TAW 2 x 10 GN, TAW 2 x 12 GN, TAW 2 x 16 GN	380 029
			TAW 2 x 10 EN, TAW 2 x 12 EN, TAW 2 x 16 EN	380 030
			TAW 2 x 10 KN, TAW 2 x 12 KN	380 031
	Doors with glass insert, coloured Thin sheet, electrolytically galvanised double-sided, powder-coated in various colours	1 door, hinged on the right	TAW 10 GN, TAW 12 GN, TAW 16 GN	*380 000
			TAW 10 EN, TAW 12 EN, TAW 16 EN	*380 002
			TAW 10 KN, TAW 12 KN	*380 005
		2 hinged doors	TAW 2 x 10 GN, TAW 2 x 12 GN, TAW 2 x 16 GN	*380 006
			TAW 2 x 10 EN, TAW 2 x 12 EN, TAW 2 x 16 EN	*380 008
			TAW 2 x 10 KN, TAW 2 x 12 KN	*380 009
	Doors with glass insert, stainless steel	1 door, hinged on the right	TAW 10 GN, TAW 12 GN, TAW 16 GN	380 032
			TAW 10 EN, TAW 12 EN, TAW 16 EN	380 033
			TAW 10 KN, TAW 12 KN	380 034
		2 hinged doors	TAW 2 x 10 GN, TAW 2 x 12 GN, TAW 2 x 16 GN	380 035
			TAW 2 x 10 EN, TAW 2 x 12 EN, TAW 2 x 16 EN	380 036
			TAW 2 x 10 KN, TAW 2 x 12 KN	380 037

OPTIONS AND ACCESSORIES

image	designation	for model	order no.
	Stainless-steel trolley top with all-round railing top completely removable for cleaning, stainless steel	TAW 10 GN, TAW 12 GN, TAW 16 GN, BCTT 3	574 246
		TAW 10 EN, TAW 12 EN, TAW 16 EN	574 247
		TAW 10 KN, TAW 12 KN	574 248
		TAW 2 x 10 GN, TAW 2 x 12 GN, TAW 2 x 16 GN, BCTT 6	574 249
		TAW 2 x 10 EN, TAW 2 x 12 EN, TAW 2 x 16 EN	574 250
		TAW 2 x 10 KN, TAW 2 x 12 KN	574 251
		TAW 20 GN, TAW 24 GN, TAW 32 GN	575 422
		TAW 20 EN, TAW 24 EN, TAW 32 EN	575 423
	Push handle No push handle is possible in combination with hinged doors, in combination with 1 door, the handle can only be mounted on the left	all TAW	-
	Additional push-through protection (stainless-steel rod) Not configurable in combination with 3-sided panelling	TAW 10, TAW 12, TAW 16	-
		TAW 2 x 10 KN, TAW 2 x 12 KN, TAW 2 x 16	-
		TAW 20, TAW 24, TAW 32	-
Graphite black	Frame in graphite black	all TAW	-
Traffic grey B	Frame in traffic grey B		
Stone grey	Frame in stone grey		
Signal white	Frame in signal white		
Not shown	Stainless-steel base	TAW 10 GN, TAW 12 GN, TAW 16 GN	379 962
		TAW 10 EN, TAW 12 EN, TAW 16 EN	379 961
		TAW 10 KN, TAW 12 KN	379 963
		TAW 2 x 10 GN, TAW 2 x 12 GN, TAW 2 x 16 GN	379 965
		TAW 2 x 10 EN, TAW 2 x 12 EN, TAW 2 x 16 EN	379 964
		TAW 2 x 10 KN, TAW 2 x 12 KN	379 966
	Castors, steel, galvanised	all TAW	-
	Air-identical castors		-



B.PRO
CATERING SOLUTIONS

B.PRO GmbH
B.PRO Catering Solutions
Postfach 13 10
75033 Oberderdingen
Telefon +49 7045 44-81276
Telefax +49 7045 44-81212
catering@bpro-solutions.com
www.bpro-solutions.com