



B.PRO
CATERING SOLUTIONS

ONE FOR ALL

**The serving and clearing trolleys from BPRO Catering Solutions.
Permanently reliable.**

TOUGH TROLLEYS

The perfect mobile assistants made of stainless steel.

They can certainly take a lot.



In the food service industry, hotels and the catering industry, things can get hectic during rush hours: day in, day out, huge numbers of dishes need to be transported. As quickly as possible.

Ready for anything – the serving and transport trolleys by BPRO Catering Solutions. With an extra sturdy design and high-quality processing,

they transport everything that is loaded onto them – light and easy to manoeuvre, regardless of how far it needs to go.

The perfect size for all: the serving and clearing trolleys for transport, temporary storage and stocking. Also available for larger capacities in the XXL version with additional shelves.

The most common serving and clearing trolleys are available from stock and are therefore ready for service very quickly.

Typically BPRO: More quality. More service. More options.



Firmly connected.

Perfectly welded seams in one piece connect and stabilise tube frames and shelves. This ensures a good hold. Forever.




Sturdy and safe.

Curled edges and a large, deep-drawn profile edge not only make the shelves super sturdy and resilient, but also provide protection against cuts and scratches at work.



Broken glass doesn't have a chance.

And even if things get a little rough underfoot or a sharp corner awaits, the all-round, raised profile edge on every shelf makes sure nothing falls off.



Smooth running at its best.

Under every shelf, a noise-insulating antidrumming mat acts like a noise damper. Annoying rolling noises are therefore significantly reduced.



Bump-resistant.

A standard feature: the sturdy bumper rail protects the trolley and loaded items against scratches and scrapes.

NICE VIEW

Privacy shield and attractive panelling in one. Quick as a flash.

The panelling for BPRO serving trolleys hides everything that doesn't need to be seen. It also protects everything that needs to stay clean: used or clean dishes simply disappear behind closed doors.



The sturdy side walls are easy to hook in: simply clip in behind the edge of the upper shelf and fasten on the lower shelf – done. The sturdy side walls can be hooked in and unhooked easily. This facilitates cleaning and the trolley can also be used without panelling if necessary.


The three-sided panelling is available with or without hinged doors. When open, the doors can be locked within the bumper rail – this makes manoeuvring easy and prevents damage.

In addition to stainless steel, the panelling is available in 12 different colours, all of which make the serving trolley a real eye-catcher in any surroundings.




The side walls
Simple to hook in and just as easy to remove.

NEUTRAL COLOURS



Graphite black



Traffic grey B



Stone grey



Signal white

LIVING COLOURS



Broom yellow



Merlot red



Petrol green



Sea blue


FRESH COLOURS




Candy red



Neomint



Apple green



Lime

SW-KIDS

BPRO Kids serving trolleys



The BPRO Kids serving trolleys make nursery and school catering child's play. With its low height, young guests can reach all surfaces of the trolley with ease.

The trolleys are also very safe to use as the curled edges prevent injury. The serving trolley has a sturdy bumper rail and an antidrumming mat with a noise-insulating effect.

The trolley is available in various versions, naturally also with panelling.



THE SPACE BOOSTER

With the retrofittable worktop you can create a highly practical, mobile chopping area for preparation and serving in next to no time.



Worktop

The star of the show is the stainless-steel worktop. It fits perfectly on almost every existing BPRO 8 x 5 serving trolley. No special fixtures are necessary and the worktop can be removed again at any time. It features a cut-out for inserting two GN 1/3-65 containers for transporting chopped ingredients or using as catch trays.

The perfect addition to the BPRO COOK front cooking station.



Synthetic cutting board

The synthetic cutting board guarantees a firm grip and is perfectly designed for combination with the worktop and integrated GN containers. Practical: a juice groove drains into the GN containers on the worktop.

Hanging frame for GN containers incl. bracket for paper towel rolls

The hanging frame creates even more storage options. It is quick and easy to hook on and off and provides sufficient space for 3 GN 1/6. Everything at hand: the frame also features a bracket for a paper towel roll.



Knife holder for mounting on GN 1/6

With the dishwasher-safe knife holder, knives can be stored in every deep GN 1/6. Since the knife holder does not cover the entire container, there's still enough space for tongs, spoons or other cooking utensils.

Sneeze guard for serving trolley

With the optional sneeze guard, your 8 x 5 serving trolley is also suitable for flexible, mobile serving. The sneeze guard is extra light and can be retrofitted to almost all SW 8 x 5 trolleys.



CLEARING STATION

Quite simple: BPRO serving trolleys as mobile and flexible solutions for clearing.

Mobile clearing station:

Quickly sorted and ready to go.

With the serving trolley as a basis, the clearing station is perfect for collecting, sorting and returning trays, dishes and cutlery for up to 45 guests. Clever details and a privacy shield with labelling options boost efficiency even further.

The mobile clearing station is very useful for service, for example in beer gardens or at events. It helps to combine work processes, saving time when things get hectic.



Perfect for self-service. Helping to clear away after meals is an important aspect of learning how to deal with resources in schools and nurseries. The clearing station offers a simple and organised solution for sorting trays, plates, cutlery and glass as well as residual waste and paper. Easily manoeuvrable castors guarantee a smooth journey back to the dishwashing area.



Shelf for trays


The shelf for trays is easy and quick to attach. It can be mounted at standard height (approx. 850 mm) or at children's height (approx. 700 mm) simply by turning it.

Drip tray for glasses and cups

The stainless-steel drip tray fits perfectly onto the top shelf and features two integrated support bars on the base. Simply place the glass rack on top, and liquids drip onto the drip tray below.

Hanging frame for GN containers

Frame for hanging GN containers for cutlery or as collection containers on the side.



CUTLERY ATTACHMENT



Serving trolley with cutlery attachment

Combined with the SW 10 x 6, the cutlery attachment offers ample space for cutlery, trays, dishes, napkins and condiments. It can be fitted at any time and easily removed afterwards.

Firm screw connections guarantee maximum stability. Incl. 5 GN 1/4-150 stainless-steel cutlery holders with transparent, half-flap Plexiglas cover.

BPRO SERVING TROLLEYS **SW KIDS AND SW 6 x 4**



Model	SW 6 x 4-2 Kids serving trolley	SW 8 x 5-2 Kids serving trolley
Dimensions (L x W x H)	700 x 500 x 800 mm	900 x 600 x 800 mm
Clear dim. between shelves	435 mm	
Weight (synthetic castors)	10 kg	12 kg
Load-bearing capacity	120 kg	
Number of shelves	2 shelves	
Dim. of the shelves (L x W)	600 x 400 mm	800 x 500 mm
Max. load per shelf	80 kg	
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, galvanised steel 574 984	574 986
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, synthetic *	574 985
Castor version Order No.	125 mm dia., 2 fixed castors, 2 steering castors, 2 of which have brakes, synthetic *	575 476
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, air-identical, synthetic	575 510

* corrosion-resistant in compliance with DIN 18867-8



Model	SW 6 x 4-2 serving trolley	SW 6 x 4-3 serving trolley
Dimensions (L x W x H)	700 x 500 x 950 mm	
Clear dim. between shelves	585 mm	275 mm
Weight (synthetic castors)	11 kg	13 kg
Load-bearing capacity	120 kg	
Number of shelves	2 shelves	3 shelves
Dim. of the shelves (L x W)	600 x 400 mm	
Max. load per shelf	80 kg	
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, galvanised steel 566 246	566 247
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, synthetic *	569 767
Castor version Order No.	125 mm dia., 2 fixed castors, 2 steering castors, 2 of which have brakes, synthetic *	575 472
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, air-identical, synthetic	574 722
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, air-identical, galvanised steel	575 496

* corrosion-resistant in compliance with DIN 18867-8

BPRO SERVING TROLLEYS SW 8 x 5 AND SW 9 x 6



Model	SW 8 x 5-2 serving trolley	SW 8 x 5-3 serving trolley
Dimensions (L x W x H)	900 x 600 x 950 mm	
Clear dim. between shelves	585 mm	275 mm
Weight (synthetic castors)	15 kg	18 kg
Load-bearing capacity	120 kg	
Number of shelves	2 shelves	3 shelves
Dim. of the shelves (L x W)	800 x 500 mm	
Max. load per shelf	80 kg	
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, galvanised steel 555 527	555 528
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, synthetic *	569 770
Castor version Order No.	125 mm dia., 2 fixed castors, 2 steering castors, 2 of which have brakes, synthetic *	575 477
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, air-identical, synthetic	573 476
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, air-identical, galvanised steel	575 498

* corrosion-resistant in compliance with DIN 18867-8



Model	SW 9 x 6-2 serving trolley	SW 9 x 6-3 serving trolley
Dimensions (L x W x H)	1000 x 650 x 950 mm	
Clear dim. between shelves	585 mm	275 mm
Weight (synthetic castors)	18 kg	20 kg
Load-bearing capacity	120 kg	
Number of shelves	2 shelves	3 shelves
Dim. of the shelves (L x W)	900 x 550 mm	
Max. load per shelf	80 kg	
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, galvanised steel 555 531	555 532
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, synthetic *	569 773
Castor version Order No.	125 mm dia., 2 fixed castors, 2 steering castors, 2 of which have brakes, synthetic *	575 482
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, air-identical, synthetic	575 490
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, air-identical, galvanised steel	575 500

* corrosion-resistant in compliance with DIN 18867-8

BPRO SERVING TROLLEYS SW 10 X 6 BASIC AND SW 10 x 6



Model	SW 10 x 6-2 BASIC serving trolley	SW 10 x 6-3 BASIC serving trolley
Dimensions (L x W x H)	1100 x 700 x 950 mm	
Clear dim. between shelves	585 mm	275 mm
Weight (synthetic castors)	20 kg	23 kg
Load-bearing capacity	120 kg	
Number of shelves	2 shelves	3 shelves
Dim. of the shelves (L x W)	1000 x 600 mm	
Max. load per shelf	80 kg	
Castor version	125 mm dia., 4 steering castors, 2 of which have brakes, galvanised steel	
Order No.	573 487	573 489
Castor version	125 mm dia., 4 steering castors, 2 of which have brakes, synthetic *	
Order No.	573 486	573 488
Castor version	125 mm dia., 2 fixed castors, 2 steering castors, 2 of which have brakes, synthetic *	
Order No.	575 484	575 485
Castor version	125 mm dia., 4 steering castors, 2 of which have brakes, air-identical, synthetic	
Order No.	574 735	574 734
Castor version	125 mm dia., 4 steering castors, 2 of which have brakes, air-identical, galvanised steel	
Order No.	575 502	575 503

* corrosion-resistant in compliance with DIN 18867-8



Model	SW 10 x 6-2 serving trolley	SW 10 x 6-3 serving trolley
Dimensions (L x W x H)	1100 x 700 x 1010 mm	
Clear dim. between shelves	585 mm	275 mm
Weight (synthetic castors)	23 kg	28 kg
Load-bearing capacity	160 kg	200 kg
Number of shelves	2 shelves	3 shelves
Dim. of the shelves (L x W)	1000 x 600 mm	
Max. load per shelf	80 kg	
Castor version	125 mm dia., 4 steering castors, 2 of which have brakes, galvanised steel	
Order No.	555 536	555 538
Castor version	125 mm dia., 2 fixed castors, 2 steering castors, 2 of which have brakes, galvanised steel	
Order No.	555 535	555 537
Castor version	125 mm dia., 4 steering castors, 2 of which have brakes, synthetic *	
Order No.	569 778	569 780
Castor version	125 mm dia., 2 fixed castors, 2 steering castors, 2 of which have brakes, synthetic *	
Order No.	569 777	569 779
Castor version	125 mm dia., 4 steering castors, 2 of which have brakes, air-identical, synthetic	
Order No.	575 491	574 733
Castor version	125 mm dia., 2 fixed castors, 2 steering castors, 2 of which have brakes, air-identical, synthetic	
Order No.	575 549	575 550
Castor version	125 mm dia., 4 steering castors, 2 of which have brakes, air-identical, galvanised steel	
Order No.	575 504	575 505

* corrosion-resistant in compliance with DIN 18867-8

BPRO SERVING TROLLEYS SW 8 X 5 HEAVY-DUTY MODEL



Model	SW 8 x 5-2 heavy-duty model	SW 8 x 5-3 heavy-duty model
Dimensions (L x W x H)	900 x 600 x 1035 mm	
Clear dim. between shelves	585 mm	275 mm
Weight (synthetic castors)	17 kg	20 kg
Load-bearing capacity	160 kg	200 kg
Number of shelves	2 shelves	3 shelves
Dim. of the shelves (L x W)	800 x 500 mm	
Max. load per shelf	80 kg	
Castor version	125 mm dia., 4 steering castors, 2 of which have brakes, galvanised steel	
Order No.	575 177	575 179
Castor version	125 mm dia., 2 fixed castors, 2 steering castors, 2 of which have brakes, galvanised steel	
Order No.	575 460	575 461
Castor version	125 mm dia., 4 steering castors, 2 of which have brakes, synthetic *	
Order No.	575 176	575 178
Castor version	125 mm dia., 2 fixed castors, 2 steering castors, 2 of which have brakes, synthetic *	
Order No.	575 478	575 479
Castor version	125 mm dia., 4 steering castors, 2 of which have brakes, air-identical, synthetic	
Order No.	575 489	575 180
Castor version	125 mm dia., 2 fixed castors, 2 steering castors, 2 of which have brakes, air-identical, synthetic	
Order No.	575 547	575 548

* corrosion-resistant in compliance with DIN 18867-8

BPRO ARW CLEARING TROLLEY



Model	ARW 9 x 6-2 clearing trolley	ARW 9 x 6-3 clearing trolley	ARW 10 x 6-2 clearing trolley	ARW 10 x 6-3 clearing trolley
Dimensions (L x W x H)	1000 x 650 x 1030 mm		1100 x 700 x 1010 mm	
Special features	with three-sided, closed railing			
Clear dim. between shelves	585 mm	275 mm	481 mm	275 mm
Weight	19 kg	23 kg	25 kg	30 kg
Load-bearing capacity	120 kg		160 kg	200 kg
Number of shelves	2 shelves	3 shelves	2 shelves	3 shelves
Dim. of the shelves (L x W)	900 x 550 mm		1000 x 600 mm	
Max. load per shelf	80 kg			
Castor version	125 mm dia., 4 steering castors, 2 of which have brakes, galvanised steel			
Order No.	563 022	563 055	575 470	575 471
Castor version	125 mm dia., 2 fixed castors, 2 steering castors, 2 of which have brakes, galvanised steel			
Order No.			575 468	575 469
Castor version	125 mm dia., 4 steering castors, 2 of which have brakes, synthetic *			
Order No.	569 786	569 787	569 788	575 224
Castor version	125 mm dia., 2 fixed castors, 2 steering castors, 2 of which have brakes, synthetic *			
Order No.	575 486	575 487	569 789	575 223
Castor version	125 mm dia., 4 steering castors, 2 of which have brakes, air-identical, synthetic			
Order No.	575 492	575 493	575 494	575 495
Castor version	125 mm dia., 2 fixed castors, 2 steering castors, 2 of which have brakes, air-identical, synthetic			
Order No.			575 551	575 552

* corrosion-resistant in compliance with DIN 18867-8

BPRO SERVING TROLLEYS SW 10 x 6 BASIC GDD

Storage and transport for Gastronorm lids with seal.

The GDD top-mounted frame by BPRO is the ideal solution for the correct storage, drying, transport and dispensing of Gastronorm lids with form-fitting seal. Through its special geometry, it fits perfectly on 10 x 6 serving trolley shelves. It can hold up to 30 GN 1/1 Gastronorm lids or a large variety of smaller lids.

To go with the top-mounted frame, the SW 10 x 6-3 BASIC GDD serving trolley is available. Thanks to the larger distance between shelves, every shelf can accommodate a GDD top-mounted frame. The serving trolley therefore offers optimal mobile storage for large volumes.



Model	SW 10 x 6-3 BASIC GDD serving trolley
Dimensions (L x W x H)	1100 x 700 x 1290 mm
Clear dim. between shelves	445 mm
Weight (synthetic castors)	30 kg
Load-bearing capacity	150 kg
Number of shelves	3 shelves
Dim. of the shelves (L x W)	1000 x 600 mm
Max. load per shelf	50 kg
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, synthetic*
	574 166

* Corrosion-resistant in compliance with DIN 18867-8

Illustration	Design	Order No.
	<p>GDD top-mounted frame for the correct storage of Gastronorm lids with form-fitting seal</p> <p>For the models: SW 10 x 6-2, SW 10 x 6-2 BASIC, SW 10 x 6-3 BASIC GDD, top-mounted frame can also be used without serving trolley</p>	574 167

MCS 10 X 6-3 MOBILE CLEARING STATION



With cut-out for waste container (2x GN 1/3-200) on top shelf, incl. 4 gusset plates per shelf on the two top shelves, 2x GN-B 1/3-200 included in scope of delivery



Shown with accessories: side GN hanging frame with GN containers, drip tray, shelf and panelling on 3 sides

Model	MCS 10 x 6-3 Mobile clearing station
Dimensions (L x W x H)	1100 x 700 x 950 mm
Clear dim. between shelves	275 mm
Weight	23 kg
Load-bearing capacity	150 kg
Number of shelves	3 shelves
Dimensions of the shelves (L x W)	1000 x 600 mm
Max. load per shelf	80 kg
Castor version Order No.	125 mm dia., 4 steering castors, 2 of which have brakes, synthetic* 575 520

* Corrosion-resistant in compliance with DIN 18867-8







PANELLING SETS FOR BPRO SERVING TROLLEYS



	Panelling on 3 sides	Panelling on 3 sides, with hinged doors on the front	Hinged doors on the front
Design	For hanging on BPRO serving trolleys	For simple mounting on BPRO serving trolleys	For simple mounting on BPRO serving trolleys
Special features	Panelling parts completely removable for cleaning		--
Material	Stainless steel or thin sheet, double-sided electrolytically galvanised, powder-coated in various colours		
For model	 SW 6 x 4-2 Kids (especially suitable for children's catering)		
Colour panelling Order no.	383 710*	383 712*	383 711*
For model	 SW 8 x 5-2 Kids (especially suitable for children's catering)		
Colour panelling Order no.	383 713*	383 715*	383 714*
For model	SW 8 x 5-2, SW 8 x 5-3, SW 8 x 5-2 heavy-duty model, SW 8 x 5-3 heavy-duty model		
Colour panelling Order no.	375 453*	375 454*	380 362*
In stock/quick delivery	lime	574 130	574 135
	apple green	574 131	574 136
	graphite black	574 133	574 138
	stone grey	574 736	574 737
Stainless-steel panelling Order no.	375 449	375 450	380 360
For model	SW 9 x 6-2, SW 9 x 6-3		
Colour panelling Order no.	383 341*	383 460*	383 458*
For model	SW 10 x 6-2, SW 10 x 6-3, SW 10 x 6-2 BASIC, SW 10 x 6-3 BASIC, MCS 10 x 6-3		
Colour panelling Order no.	375 455*	375 456*	380 363*
Stainless-steel panelling Order no.	375 451	375 452	380 361

*All panelling and doors are available in 12 different colours. For overview, see page 4



ACCESSORIES FOR B.PRO SERVING AND CLEARING TROLLEYS

Illustration	Model	Design	Dimensions (W x L x H) Capacity	Order No.
	WB 8 x 5 worktop	Worktop made of stainless steel with cut-out for 2 GN 1/3-65 containers, for mounting on serving trolleys, incl. 2x GN 1/3-65, for the models: SW 8 x 5 (without railing)	773 x 500 x 61 mm	574 773
Shown with accessories that are not included in the scope of delivery 	Hanging frame	Hanging frame made of stainless steel, for GN containers, incl. bracket for paper towel rolls, for WB 8 x 5 worktop	231 x 477 x 200 mm	574 783
	Cutting board	Cutting board , synthetic, perfectly designed for combination with the worktop and integrated GN containers, juice groove with drain, for WB 8 x 5 worktop	530 x 325 x 20 mm, (GN 1/1)	574 776
Shown with accessories that are not included in the scope of delivery 	Knife holder	Knife holder for mounting on GN 1/6, synthetic	114 x 162 x 20 mm	574 774
	SW SG sneeze guard	Sneeze guard for serving trolleys, retrofittable, made of acrylic glass (PMMA), for the models: SW 8 x 5	828 x 253 x 317 mm	574 782
Shown with accessories that are not included in the scope of delivery 	Worktop set, synthetic	Worktop set with synthetic cutting board - WB 8 x 5 worktop incl. 2x GN 1/3-65 - Hanging frame incl. bracket for paper towel rolls - 1x GN 1/6-200 - 1x GN 1/3-200 - Knife holder - Synthetic cutting board, for the models: SW 8 x 5 (without railing)	--	574 778

ACCESSORIES FOR B.PRO SERVING AND CLEARING TROLLEYS

Illustration	Model	Design	Dimensions (W x L x H) Capacity	Order No.
	Privacy shield	as privacy shield or, for instance, to label residual waste, paper, glass and cutlery, thin sheet, double-sided electrolytically galvanised, powder-coated in various colours, for easy mounting on serving trolleys, for the models: MCS 10 x 6-3, SW 10 x 6 * available in 12 different colours. For overview, see page 4	1031 x 205 x 430 mm	lime 574 795 apple green 574 796 graphite black 574 798 additional colours 382 662*
	Shelf	Shelf made of stainless steel, for placing trays, can be mounted at standard height (approx. 850 mm) or at children's height (approx. 700 mm) simply by turning it, cannot be combined with doors, for model: MCS 10 x 6-3	544 x 262 x 150 mm	574 780
	Drip tray	Drip tray made of stainless steel, for collecting glasses and cups, suitable for glass racks (500 mm x 500 mm), for model: MCS 10 x 6-3	578 x 578 x 57 mm	574 779
	GN hanging frame	GN hanging frame made of stainless steel, for hanging GN containers on the side, for max. 3x GN1/6, for model: MCS 10 x 6-3	212 x 477 x 126 mm	574 781
		GN 1/6-200 Gastronorm container made of stainless steel		1 550 572
	AFB 4 x 2 x 2.5	Waste container made of stainless steel, deep-drawn, with mounting hooks, easy to remove and mount on push handle, (not suitable for SW 6 x 4 or SW Kids 6 x 4)	425 x 225 x 250 mm 18.5 litres	555 509
	BGN 1/3-150	Cutlery holder made of stainless steel, deep-drawn, with mounting hooks, easy to remove and mount on push handle, (not suitable for SW 6 x 4 or SW Kids 6 x 4)	325 x 176 x 150 mm 110 pieces of cutlery	555 510

ACCESSORIES FOR B.PRO SERVING AND CLEARING TROLLEYS

Illustration	Model	Design	Dimensions (W x L x H) Capacity	Order No.
	CAT 5 cutlery attachment	Cutlery attachment made of stainless steel, incl. 5 cutlery holders (GN 1/4-150) with transparent, half-flap Plexiglas cover, for the models: SW 10 x 6	1031 x 318 x 361 mm	574 772
	Railing	All-round railing for all SW and SW Kids models, for self-assembly	50 mm high	Please specify when ordering
			SW 8	575 523
			SW 9	575 524
			SW 10	575 525
		Railing on 3 sides, one long side open, for all SW and SW Kids models, for self-assembly	SW 8	575 526
			SW 9	575 522
			SW 10	575 527
			not shown	Reinforcing profile
SW 8	575 530			
SW 9	575 531			
SW 10	575 532			
	GDD top-mounted frame	Top-mounted frame for correct storage, drying, transport and dispensing of Gastronorm lids with form-fitting seal, for the models: SW 10 x 6-2, SW 10 x 6-2 BASIC, SW 10 x 6-3 BASIC GDD, top-mounted frame can also be used without serving trolley. Capacity: 30 lids for GN 1/1 or 60 lids for GN 1/2 or 90 lids for GN 1/3	963 x 496 x 231 mm	574 167

THE B.PRO GROUP

Our customers are as diverse and varied as our portfolio. To ensure we do our very best for every client, we concentrate our skills, abilities and capacities in two highly specialised business units: B.PRO Catering Solutions – Products and systems for professional commercial kitchens. ENOXX Engineering – Custom-made high-precision pieces using stainless steel, aluminium or synthetics for industry.

All business units of B.PRO hold DIN EN ISO9001:2015 certification, guaranteeing a high standard of reliability and customer orientation.

B.PRO GmbH
B.PRO Catering Solutions
P.O. Box 13 10
75033 Oberderdingen
Germany
Phone +49 7045 44-81900
catering.export@bpro-solutions.com
www.bpro-solutions.com

B.PRO
CATERING SOLUTIONS