



B.PRO
CATERING SOLUTIONS

ONE FOR ALL

**The serving and clearing trolleys from BPRO Catering Solutions.
Permanently reliable.**

TOUGH TROLLEYS

The perfect mobile assistants made of stainless steel.

They can certainly take a lot.



In the food service industry, hotels and the catering industry, things can get hectic during rush hours: day in, day out, huge numbers of dishes need to be transported. As quickly as possible.

Ready for anything – the serving and transport trolleys by BPRO Catering Solutions. With an extra sturdy design and high-quality processing,

they transport everything that is loaded onto them – light and easy to manoeuvre, regardless of how far it needs to go.

The perfect size for all: the serving and clearing trolleys for transport, temporary storage and stocking. Also available for larger capacities in the XXL version with additional shelves.

The most common serving and clearing trolleys are available from stock and are therefore ready for service very quickly.

Typically BPRO: More quality. More service. More options.



Firmly connected.

Perfectly welded seams in one piece connect and stabilise tube frames and shelves. This ensures a good hold. Forever.




Sturdy and safe.

Curled edges and a large, deep-drawn profile edge not only make the shelves super sturdy and resilient, but also provide protection against cuts and scratches at work.



Broken glass doesn't have a chance.

And even if things get a little rough underfoot or a sharp corner awaits, the all-round, raised profile edge on every shelf makes sure nothing falls off.



Smooth running at its best.

Under every shelf, a noise-insulating antidrummy mat acts like a noise damper. Annoying rolling noises are therefore significantly reduced.



Bump-resistant.

A standard feature: the sturdy bumper rail protects the trolley and loaded items against scratches and scrapes.



Extra tough.

For extremely heavy loads, additional reinforcing profiles and gusset plates are available on request.

NICE VIEW

Privacy shield and attractive panelling in one. Quick as a flash.

The panelling for BPRO serving trolleys hides everything that doesn't need to be seen. It also protects everything that needs to stay clean: used or clean dishes simply disappear behind closed doors.



The sturdy side walls are easy to hook in: simply clip in behind the edge of the upper shelf and fasten on the lower shelf – done. The sturdy side walls can be hooked in and unhooked easily. This facilitates cleaning and the trolley can also be used without panelling if necessary.


The three-sided panelling is available with or without hinged doors. When open, the doors can be locked within the bumper rail – this makes manoeuvring easy and prevents damage.

In addition to stainless steel, the panelling is available in 12 different colours, all of which make the serving trolley a real eye-catcher in any surroundings.




The side walls
Simple to hook in and just as easy to remove.

NEUTRAL COLOURS



Graphite black



Traffic grey B



Stone grey



Signal white

LIVING COLOURS



Broom yellow



Merlot red



Petrol green



Sea blue


FRESH COLOURS




Candy red



Neomint



Apple green



Lime

SW-KIDS

BPRO Kids serving trolleys



The BPRO Kids serving trolleys make nursery and school catering child's play. With its low height, young guests can reach all surfaces of the trolley with ease.

The trolleys are also very safe to use as the curled edges prevent injury. The serving trolley has a sturdy bumper rail and an antidrumming mat with a noise-insulating effect.

The trolley is available in various versions, naturally also with panelling.



THE SPACE BOOSTER

With the retrofittable worktop you can create a highly practical, mobile chopping area for preparation and serving in next to no time.



Worktop

The star of the show is the stainless-steel worktop. It fits perfectly on almost every existing BPRO 8 x 5 serving trolley. No special fixtures are necessary and the worktop can be removed again at any time. It features a cut-out for inserting two GN 1/3-65 containers for transporting chopped ingredients or using as catch trays.

The perfect addition to the BPRO COOK front cooking station.



Synthetic cutting board

The synthetic cutting board guarantees a firm grip and is perfectly designed for combination with the worktop and integrated GN containers. Practical: a juice groove drains into the GN containers on the worktop.

Hanging frame for GN containers incl. bracket for paper towel rolls

The hanging frame creates even more storage options. It is quick and easy to hook on and off and provides sufficient space for 3 GN 1/6. Everything at hand: the frame also features a bracket for a paper towel roll.



Knife holder for mounting on GN 1/6

With the dishwasher-safe knife holder, knives can be stored in every deep GN 1/6. Since the knife holder does not cover the entire container, there's still enough space for tongs, spoons or other cooking utensils.

Sneeze guard for serving trolley

With the optional sneeze guard, your 8 x 5 serving trolley is also suitable for flexible, mobile serving. The sneeze guard is extra light and can be retrofitted to almost all SW 8 x 5 trolleys.



CLEARING STATION

Quite simple: BPRO serving trolleys as mobile and flexible solutions for clearing.

Mobile clearing station:

Quickly sorted and ready to go.

With the serving trolley as a basis, the clearing station is perfect for collecting, sorting and returning trays, dishes and cutlery for up to 45 guests. Clever details and a privacy shield with labelling options boost efficiency even further.

The mobile clearing station is very useful for service, for example in beer gardens or at events. It helps to combine work processes, saving time when things get hectic.



Perfect for self-service. Helping to clear away after meals is an important aspect of learning how to deal with resources in schools and nurseries. The clearing station offers a simple and organised solution for sorting trays, plates, cutlery and glass as well as residual waste and paper. Easily manoeuvrable castors guarantee a smooth journey back to the dishwashing area.



Shelf for trays


The shelf for trays is easy and quick to attach. It can be mounted at standard height (approx. 850 mm) or at children's height (approx. 700 mm) simply by turning it.

Drip tray for glasses and cups

The stainless-steel drip tray fits perfectly onto the top shelf and features two integrated support bars on the base. Simply place the glass rack on top, and liquids drip onto the drip tray below.

Hanging frame for GN containers

Frame for hanging GN containers for cutlery or as collection containers on the side.



CUTLERY ATTACHMENT



Serving trolley with cutlery attachment

Combined with the SW 10 x 6, the cutlery attachment offers ample space for cutlery, trays, dishes, napkins and condiments. It can be fitted at any time and easily removed afterwards.

Firm screw connections guarantee maximum stability. Incl. 5 GN 1/4-150 stainless-steel cutlery holders with transparent, half-flap Plexiglas cover.

BPRO SERVING TROLLEYS SW KIDS AND SW 6 x 4



Model	SW 6 x 4-2 Kids serving trolley	SW 8 x 5-2 Kids serving trolley
Dimensions (L x W x H)	700 x 500 x 800 mm	900 x 600 x 800 mm
Clear dim. between shelves	435 mm	
Weight (synthetic castors)	10 kg	12 kg
Load-bearing capacity	120 kg	
Number of shelves	2 shelves	
Dim. of the shelves (L x W)	600 x 400 mm	800 x 500 mm
Max. load per shelf	80 kg	
Castor model	125 mm dia., 4 steering castors, 2 of which have brakes	
Castor version Order No.	Synthetic * 574 983	Synthetic * 574 985
Castor version Order No.	Galvanised steel 574 984	Galvanised steel 574 986

* corrosion-resistant in compliance with DIN 18867-8



Model	SW 6 x 4-2 serving trolley	SW 6 x 4-3 serving trolley
Dimensions (L x W x H)	700 x 500 x 950 mm	
Clear dim. between shelves	585 mm	275 mm
Weight (synthetic castors)	11 kg	13 kg
Load-bearing capacity	120 kg	
Number of shelves	2 shelves	3 shelves
Dim. of the shelves (L x W)	600 x 400 mm	
Max. load per shelf	80 kg	
Castor model	125 mm dia., 4 steering castors, 2 of which have brakes	
Castor version Order No.	synthetic* 569 767	synthetic* 569 768
Castor version Order No.	galvanised steel 566 246	galvanised steel 566 247
Castor version Order No.	air-identical 574 722	air-identical 574 721

* corrosion-resistant in compliance with DIN 18867-8

BPRO SERVING TROLLEYS SW 8 x 5 AND SW 9 x 6



Model	SW 8 x 5-2 serving trolley	SW 8 x 5-3 serving trolley	SW 8 x 5-4 serving trolley	SW 8 x 5-5 serving trolley
Dimensions (L x W x H)	900 x 600 x 950 mm		900 x 600 x 1290 mm	
Clear dim. between shelves	585 mm	275 mm	285 mm	205 mm
Weight (synthetic castors)	15 kg	18 kg	21 kg	25 kg
Load-bearing capacity	120 kg			
Number of shelves	2 shelves	3 shelves	4 shelves	5 shelves
Dim. of the shelves (L x W)	800 x 500 mm			
Max. load per shelf	80 kg			
Castor model	125 mm dia., 4 steering castors, 2 of which have brakes			
Castor version Order No.	synthetic* 569 769	synthetic* 569 770	synthetic* 569 771	synthetic* 569 772
Castor version Order No.	galvanised steel 555 527	galvanised steel 555 528	galvanised steel 563 437	galvanised steel 563 438
Castor version Order No.	air-identical 573 476	air-identical 573 478	--	--

* corrosion-resistant in compliance with DIN 18867-8



Model	SW 9 x 6-2 serving trolley	SW 9 x 6-3 serving trolley	SW 9 x 6-4 serving trolley	SW 9 x 6-5 serving trolley
Dimensions (L x W x H)	1000 x 650 x 950 mm		1000 x 650 x 1290 mm	
Clear dim. between shelves	585 mm	275 mm	285 mm	205 mm
Weight (synthetic castors)	18 kg	20 kg	30 kg	32 kg
Load-bearing capacity	120 kg			
Number of shelves	2 shelves	3 shelves	4 shelves	5 shelves
Dim. of the shelves (L x W)	900 x 550 mm			
Max. load per shelf	80 kg			
Castor model	125 mm dia., 4 steering castors, 2 of which have brakes			
Castor version Order No.	synthetic* 569 773	synthetic* 569 774	synthetic* 569 775	synthetic* 569 776
Castor version Order No.	galvanised steel 555 531	galvanised steel 555 532	galvanised steel 563 448	galvanised steel 563 449
Castor version Order No.	--	air-identical 574 732	--	--

* corrosion-resistant in compliance with DIN 18867-8

BPRO SERVING TROLLEYS SW 10 X 6 BASIC AND SW 10 x 6



Model	SW 10 x 6-2 BASIC serving trolley	SW 10 x 6-3 BASIC serving trolley	SW 10 x 6-4 BASIC serving trolley	SW 10 x 6-5 BASIC serving trolley
Dimensions (L x W x H)	1100 x 700 x 950 mm		1100 x 700 x 1290 mm	
Clear dim. between shelves	585 mm	275 mm	285 mm	205 mm
Weight (synthetic castors)	20 kg	23 kg	34 kg	37 kg
Load-bearing capacity	120 kg			
Number of shelves	2 shelves	3 shelves	4 shelves	5 shelves
Dim. of the shelves (L x W)	1000 x 600 mm			
Max. load per shelf	80 kg			
Castor model	125 mm dia., 4 steering castors, 2 of which have brakes			
Castor version Order No.	synthetic* 573 486	synthetic* 573 488	synthetic* 573 490	synthetic* 573 492
Castor version Order No.	galvanised steel 573 487	galvanised steel 573 489	galvanised steel 573 491	galvanised steel 573 493
Castor version Order No.	air-identical 574 735	air-identical 574 734	--	--

* corrosion-resistant in compliance with DIN 18867-8



Model	SW 10 x 6-2 serving trolley	SW 10 x 6-3 serving trolley	SW 10 x 6-4 serving trolley	SW 10 x 6-5 serving trolley
Dimensions (L x W x H)	1100 x 700 x 1010 mm		1100 x 700 x 1350 mm	
Clear dim. between shelves	585 mm	275 mm	285 mm	205 mm
Weight (synthetic castors)	23 kg	28 kg	40 kg	42 kg
Load-bearing capacity	160 kg	200 kg		
Number of shelves	2 shelves	3 shelves	4 shelves	5 shelves
Dim. of the shelves (L x W)	1000 x 600 mm			
Max. load per shelf	80 kg			
Castor model	125 mm dia., 4 steering castors, 2 of which have brakes			
Castor version Order No.	synthetic* 569 778	synthetic* 569 780	synthetic* 569 782	synthetic* 569 784
Castor version Order No.	galvanised steel 555 536	galvanised steel 555 538	galvanised steel 563 459	galvanised steel 563 462
Castor version Order No.	--	air-identical 574 733	--	--
Castor model	125 mm dia., 2 fixed castors, 2 steering castors with brakes			
Castor version Order No.	synthetic* 569 777	synthetic* 569 779	synthetic* 569 781	synthetic* 569 783
Castor version Order No.	galvanised steel 555 535	galvanised steel 555 537	galvanised steel 563 458	galvanised steel 563 461

* corrosion-resistant in compliance with DIN 18867-8

BPRO SERVING TROLLEYS SW 8 X 5 HEAVY-DUTY MODEL



Model	SW 8 x 5-2 heavy-duty model	SW 8 x 5-3 heavy-duty model
Dimensions (L x W x H)	900 x 600 x 1035 mm	
Clear dim. between shelves	585 mm	275 mm
Weight (synthetic castors)	17 kg	20 kg
Load-bearing capacity	160 kg	200 kg
Number of shelves	2 shelves	3 shelves
Dim. of the shelves (L x W)	800 x 500 mm	
Max. load per shelf	80 kg	
Castor model	125 mm dia., 4 steering castors, 2 of which have brakes	
Castor version Order No.	synthetic* 575 176	synthetic* 575 178
Castor version Order No.	galvanised steel 575 177	galvanised steel 575 179

* corrosion-resistant in compliance with DIN 18867-8

BPRO ARW CLEARING TROLLEY



Model	ARW 9 x 6-2 clearing trolley	ARW 9 x 6-3 clearing trolley	ARW 10 x 6-2 clearing trolley	ARW 10 x 6-3 clearing trolley
Dimensions (L x W x H)	1000 x 650 x 1030 mm		1100 x 700 x 1010 mm	1100 x 700 x 1010 mm
Special features	with three-sided, closed railing			
Clear dim. between shelves	585 mm	275 mm	481 mm	275 mm
Weight	19 kg	23 kg	25 kg	30 kg
Load-bearing capacity	120 kg		160 kg	200 kg
Number of shelves	2 shelves	3 shelves	2 shelves	3 shelves
Dim. of the shelves (L x W)	900 x 550 mm		1000 x 600 mm	
Max. load per shelf	80 kg			
Castor model	125 mm dia., 4 steering castors, 2 of which have brakes			
Castor version Order No.	synthetic* 569 786	synthetic* 569 787	synthetic* 569 788	synthetic* 575 223
Castor version Order No.	galvanised steel 563 022	galvanised steel 563 055	--	--
Castor model	--	--	125 mm dia., 2 fixed castors, 2 steering castors with brakes	
Castor version Order No.	--	--	synthetic* 569 789	synthetic* 575 224

* corrosion-resistant in compliance with DIN 18867-8

MCS 10 X 6-3 MOBILE CLEARING STATION



With cut-out for waste container (2x GN 1/3-200) on top shelf, incl. 4 gusset plates per shelf on the two top shelves, 2x GN-B 1/3-200 included in scope of delivery

Shown with accessories: side GN hanging frame with GN containers, drip tray, shelf and panelling on 3 sides

Model	MCS 10 x 6-3 Mobile clearing station
Dimensions (L x W x H)	1100 x 700 x 950 mm
Clear dim. between shelves	275 mm
Weight	23 kg
Load-bearing capacity	150 kg
Number of shelves	3 shelves
Dimensions of the shelves (L x W)	1000 x 600 mm
Max. load per shelf	80 kg
Castor model	125 mm dia., 4 steering castors, 2 of which have brakes
Castor version Order No.	Synthetic* 382 663

* Corrosion-resistant in compliance with DIN 18867-8

BPRO SERVING TROLLEYS SW 10 x 6 BASIC GDD



Shown with accessories
top-mounted frame and
GN lids

Storage and transport for Gastronorm lids with seal.

The GDD top-mounted frame by BPRO is the ideal solution for the correct storage, drying, transport and dispensing of Gastronorm lids with form-fitting seal. Through its special geometry, it fits perfectly on 10 x 6 serving trolley shelves. It can hold up to 30 GN 1/1 Gastronorm lids or a large variety of smaller lids.

To go with the top-mounted frame, the SW 10 x 6-3 BASIC GDD serving trolley is available. Thanks to the larger distance between shelves, every shelf can accommodate a GDD top-mounted frame. The serving trolley therefore offers optimal mobile storage for large volumes.

Model	SW 10 x 6-3 BASIC GDD serving trolley
Dimensions (L x W x H)	1100 x 700 x 1290 mm
Clear dim. between shelves	445 mm
Weight (synthetic castors)	30 kg
Load-bearing capacity	150 kg
Number of shelves	3 shelves
Dim. of the shelves (L x W)	1000 x 600 mm
Max. load per shelf	50 kg
Castor model	125 mm dia., 4 steering castors, 2 of which have brakes
Castor version Order No.	synthetic* 574 166



Illustration	Design	Order No.
	<p>GDD top-mounted frame for the correct storage of Gastronorm lids with form-fitting seal</p> <p>For the models: SW 10 x 6-2, SW 10 x 6-2 BASIC, SW 10 x 6-3 BASIC GDD, top-mounted frame can also be used without serving trolley</p>	574 167

CASTOR OPTIONS FOR B.PRO SERVING AND CLEARING TROLLEYS

	Model	Design	Order No.
	Air-identical castors	Air-identical castors , 125 mm dia., 4 steering castors, 2 of which have brakes, for all SW and ARW models	Please specify when ordering
	Antistatic castors	Anti-static castors , 125 mm dia., 4 steering castors, 2 of which have brakes, for the models: SW 6 x 4, SW 8 x 5, SW 9 x 6, SW 10 x 6 BASIC, ARW 9 x 6	Please specify when ordering
	Stainless-steel castors	Stainless-steel castors , 125 mm dia., 4 steering castors, 2 of which have brakes for all SW and ARW models	Please specify when ordering
	Pneumatic-tired castors, 180 mm dia.	Pneumatic-tired castors , 180 mm dia., 4 steering castors, for the models: SW 6 x 4, SW 8 x 5, SW 9 x 6, SW 10 x 6 BASIC, ARW 9 x 6	Please specify when ordering
	Pneumatic-tired castors, 200 mm dia.	Pneumatic-tired castors , 200 mm dia., either 2 fixed and steering castors or 4 steering castors, 2 of which have brakes, for the models: SW 10 x 6, SW 8 x 5-2 heavy-duty model, SW 8 x 5-3 heavy-duty model	Please specify when ordering

PANELLING SETS FOR BPRO SERVING TROLLEYS









	Panelling on 3 sides	Panelling on 3 sides, with hinged doors on the front**	Hinged doors on the front**
Design	For hanging on BPRO serving trolleys	For simple mounting on BPRO serving trolleys	For simple mounting on BPRO serving trolleys
Special features	Panelling parts completely removable for cleaning		--
Material	Stainless steel or thin sheet, double-sided electrolytically galvanised, powder-coated in various colours		
For model	 SW 6 x 4-2 Kids (especially suitable for children's catering)		
Colour panelling Order no.	383 710*	383 712*	383 711*
For model	 SW 8 x 5-2 Kids (especially suitable for children's catering)		
Colour panelling Order no.	383 713*	383 715*	383 714*
For model	SW 8 x 5-2, SW 8 x 5-3, SW 8 x 5-2 heavy-duty model, SW 8 x 5-3 heavy-duty model		
Colour panelling Order no.	375 453*	375 454*	380 362*
In stock/quick delivery	lime	574 130	574 135
	apple green	574 131	574 136
	graphite black	574 133	574 138
	stone grey	574 736	574 737
Stainless-steel panelling Order no.	375 449	375 450	380 360
For model	SW 9 x 6-2, SW 9 x 6-3		
Colour panelling Order no.	383 341*	383 460*	383 458*
For model	SW 10 x 6-2, SW 10 x 6-3, SW 10 x 6-2 BASIC, SW 10 x 6-3 BASIC, MCS 10 x 6-3		
Colour panelling Order no.	375 455*	375 456*	380 363*
Stainless-steel panelling Order no.	375 451	375 452	380 361

*All panelling and doors are available in 14 different colours. For overview, see page 4

** Not possible in combination with gusset plates.





ACCESSORIES FOR B.PRO SERVING AND CLEARING TROLLEYS

Illustration	Model	Design	Dimensions (W x L x H) Capacity	Order No.
	WB 8 x 5 worktop	Worktop made of stainless steel with cut-out for 2 GN 1/3-65 containers, for mounting on serving trolleys, incl. 2x GN 1/3-65, for the models: SW 8 x 5 (without railing)	773 x 500 x 61 mm	574 773
Shown with accessories that are not included in the scope of delivery 	Hanging frame	Hanging frame made of stainless steel, for GN containers, incl. bracket for paper towel rolls, for WB 8 x 5 worktop	231 x 477 x 200 mm	574 783
	Cutting board	Cutting board , synthetic, perfectly designed for combination with the worktop and integrated GN containers, juice groove with drain, for WB 8 x 5 worktop	530 x 325 x 20 mm, (GN 1/1)	574 776
Shown with accessories that are not included in the scope of delivery 	Knife holder	Knife holder for mounting on GN 1/6, synthetic	114 x 162 x 20 mm	574 774
	SW SG sneeze guard	Sneeze guard for serving trolleys, retrofittable, made of acrylic glass (PMMA), for the models: SW 8 x 5	828 x 253 x 317 mm	574 782
Shown with accessories that are not included in the scope of delivery 	Worktop set, synthetic	Worktop set with synthetic cutting board - WB 8 x 5 worktop incl. 2x GN 1/3-65 - Hanging frame incl. bracket for paper towel rolls - 1x GN 1/6-200 - 1x GN 1/3-200 - Knife holder - Synthetic cutting board, for the models: SW 8 x 5 (without railing)	--	574 778

ACCESSORIES FOR B.PRO SERVING AND CLEARING TROLLEYS

Illustration	Model	Design	Dimensions (W x L x H) Capacity	Order No.
	Privacy shield	as privacy shield or, for instance, to label residual waste, paper, glass and cutlery, thin sheet, double-sided electrolytically galvanised, powder-coated in various colours, for easy mounting on serving trolleys, for the models: MCS 10 x 6-3, SW 10 x 6 * available in 12 different colours. For overview, see page 4	1031 x 205 x 430 mm	lime 574 795 apple green 574 796 graphite black 574 798 additional colours 382 662*
	Shelf	Shelf made of stainless steel, for placing trays, can be mounted at standard height (approx. 850 mm) or at children's height (approx. 700 mm) simply by turning it, cannot be combined with doors, for model: MCS 10 x 6-3	544 x 262 x 150 mm	574 780
	Drip tray	Drip tray made of stainless steel, for collecting glasses and cups, suitable for glass racks (500 mm x 500 mm), for model: MCS 10 x 6-3	578 x 578 x 57 mm	574 779
	GN hanging frame	GN hanging frame made of stainless steel, for hanging GN containers on the side, for max. 3x GN1/6, for model: MCS 10 x 6-3	212 x 477 x 126 mm	574 781
		GN 1/6-200 Gastronorm container made of stainless steel		1 550 572
	AFB 4 x 2 x 2.5	Waste container made of stainless steel, deep-drawn, with mounting hooks, easy to remove and mount on push handle, (not suitable for SW 6 x 4 or SW Kids 6 x 4)	425 x 225 x 250 mm 18.5 litres	555 509
	BGN 1/3-150	Cutlery holder made of stainless steel, deep-drawn, with mounting hooks, easy to remove and mount on push handle, (not suitable for SW 6 x 4 or SW Kids 6 x 4)	325 x 176 x 150 mm 110 pieces of cutlery	555 510

ACCESSORIES FOR B.PRO SERVING AND CLEARING TROLLEYS

Illustration	Model	Design	Dimensions (W x L x H) Capacity	Order No.
	CAT 5 cutlery attachment	Cutlery attachment made of stainless steel, incl. 5 cutlery holders (GN 1/4-150) with transparent, half-flap Plexiglas cover, for the models: SW 10 x 6	1031 x 318 x 361 mm	574 772
	Railing	All-round railing for all SW and SW Kids models	50 mm high	Please specify when ordering
		Railing on 3 sides, one long side open, for all SW and SW Kids models		
	Gusset plates	Gusset plates 4 per shelf except on lowest shelf, for the models: SW 6 x 4, SW 8 x 5, SW 9 x 6, SW 10 x 6, for every shelf with 4 gusset plates, the load-bearing capacity of the overall SW increases by 20 kg, the max. load per shelf does not increase (not possible for lowest shelf or SW 10 x 6 -3 BASIC GDD), the maximum possible total load-bearing capacity is 200 kg	--	Please specify when ordering
not shown	Reinforcing profile	Shelf reinforcing profile per shelf for the models: SW 8 x 5, SW 9 x 6, SW 10 x 6, the max. load per shelf increases by 10 kg, the load-bearing capacity of the overall SW remains unchanged	--	Please specify when ordering
	GDD top-mounted frame	Top-mounted frame for correct storage, drying, transport and dispensing of Gastronorm lids with form-fitting seal, for the models: SW 10 x 6-2, SW 10 x 6-2 BASIC, SW 10 x 6-3 BASIC GDD, top-mounted frame can also be used without serving trolley. Capacity: 30 lids for GN 1/1 or 60 lids for GN 1/2 or 90 lids for GN 1/3	963 x 496 x 231 mm	574 167

THE BPRO Catering Solutions GROUP.

Our clients are as diverse and varied as our portfolio. In order to ensure we do our very best for every client, we concentrate our skills, abilities and capacities in three highly specialised business units: Catering – Products and systems for professional commercial kitchens. Industrial – Custom-made high-precision pieces using stainless steel, aluminium or synthetics for industry. And Railway – Equipment for galley kitchens and bistros on high-speed trains.

All of BPRO Catering Solutions's business units have DIN EN ISO 9001:2015 certification, guaranteeing a high standard of reliability and customer orientation.

BPRO GmbH + Co KG
CATERING
P.O. Box 13 10
75033 Oberderdingen
Germany
Phone +49 7045 44-81900
Fax +49 7045 44-81481
catering.export@bpro.de
www.bpro.com

B.PRO
CATERING SOLUTIONS