



B.PRO
CATERING SOLUTIONS

New
models


TRAY CLEARING TROLLEYS


The clearers – clever assistants by B.PRO Catering Solutions.

NEW PUSH


Tray clearing trolleys quickly ensure order in self-service areas, enabling the safe return of dishes even during the most chaotic peak times.

New models with support spacing of 75 mm reduce the number of trolleys and corresponding space required. More trays fit in the same storage area. The new models with crosswise insertion need less width space.






10 supports each with spacing of 125 mm, lengthwise tray insertion



12 supports each with spacing of 100 mm, lengthwise tray insertion



16 supports each with spacing of 75 mm, crosswise tray insertion

NEW BEVERAGE CRATE TRANSPORT TROLLEYS, THE PERFECT COMPANIONS FOR DISH RETURN


NEW

THE ADVANTAGES AT A GLANCE:

- Guests sort bottles into the appropriate crate themselves
- Saves time and removes the need for manual sorting by an employee
- Lower use of drinking glasses reduces washing requirements and thus also costs



B.PRO TRAY CLEARING TROLLEYS



TAW 12





TAW 16 with accessories


NEW

NEW

Model	TAW 10 GN	TAW 10 EN	TAW 10 KN	TAW 12 GN	TAW 12 EN	TAW 12 KN	TAW 16 GN	TAW 16 EN
Model	Tray clearing trolley, 1-piece, accessible from both sides							
Gastronorm trays (530 x 325 mm)	X			X			X	
Euronorm trays (530 x 370 mm)		X			X			X
Canteen trays (460 x 344 mm)			X			X		
Dimensions L x W x H in mm	468 x 673 x 1550	513 x 673 x 1550	487 x 607 x 1550	468 x 673 x 1550	513 x 673 x 1550	487 x 607 x 1550	468 x 673 x 1550	513 x 673 x 1550
Support spacing	125 mm			100 mm			75 mm	
Capacity	10 GN trays	10 EN trays	10 KN trays	12 GN trays	12 EN trays	12 KN trays	16 GN trays	16 EN trays
Load-bearing capacity / max. load-bearing cap. per support pair	150 kg / 4,5 kg							
Castors	Synthetic castors, 125 mm dia., 4 steering castors, 2 of which have brakes							
Special features	Tray supports with integrated push-through protection on both sides, tray support frame completely removable							
Material	Made of corrosion-resistant steel							
Order No.	574 240	574 241	574 242	574 325	574 326	574 327	575 361	575 362



TAW 2 x 12



TAW 2 x 16 with accessories


NEW

NEW


Model	TAW 2 x 10 GN	TAW 2 x 10 EN	TAW 2 x 10 KN	TAW 2 x 12 GN	TAW 2 x 12 EN	TAW 2 x 12 KN	TAW 2 x 16 GN	TAW 2 x 16 EN
Model	Tray clearing trolley, 2-piece, accessible from both sides							
Gastronorm trays (530 x 325 mm)	X			X			X	
Euronorm trays (530 x 370 mm)		X			X			X
Canteen trays (460 x 344 mm)			X			X		
Dimensions L x W x H in mm	850 x 673 x 1550	940 x 673 x 1550	888 x 607 x 1550	850 x 673 x 1550	940 x 673 x 1550	888 x 607 x 1550	850 x 673 x 1550	940 x 673 x 1550
Support spacing	125 mm			100 mm			75 mm	
Capacity	20 GN trays	20 EN trays	20 KN trays	24 GN trays	24 EN trays	24 KN trays	32 GN trays	32 EN trays
Load-bearing capacity / max. load-bearing cap. per support pair	150 kg / 4,5 kg							
Castors	Synthetic castors, 125 mm dia., 4 steering castors, 2 of which have brakes							
Special features	Tray supports with integrated push-through protection on both sides, tray support frame completely removable							
Material	Made of corrosion-resistant steel							
Order No.	574 243	574 244	574 245	574 328	574 329	574 330	575 363	575 364

B.PRO TRAY CLEARING TROLLEYS – CROSSWISE

NEW



TAW 20 with accessories



TAW 24

Model	TAW 20 GN	TAW 20 EN	TAW 24 GN	TAW 24 EN	TAW 32 GN	TAW 32 EN
Model	Tray clearing trolley, 1-piece, accessible from both sides, for inserting 2 trays in a row					
Gastronorm trays (530 x 325 mm)	X		X		X	
Euronorm trays (530 x 370 mm)		X		X		X
Dimensions L x W x H in mm	673 x 793 x 1550	673 x 883 x 1550	673 x 793 x 1550	673 x 883 x 1550	673 x 793 x 1550	673 x 883 x 1550
Support spacing	125 mm		100 mm		75 mm	
Capacity	20 GN trays	20 EN trays	24 GN trays	24 EN trays	32 GN trays	32 EN trays
Load-bearing capacity / max. load-bearing cap. per support pair	150 kg / 9 kg					
Castors	Synthetic castors, 125 mm dia., 4 steering castors, 2 of which have brakes					
Special features	Tray supports with integrated push-through protection on both sides, tray support frame completely removable					
Material	Made of corrosion-resistant steel					
Order No.	575 393	575 396	575 394	575 397	575 395	575 398

B.PRO BEVERAGE CRATE TRANSPORT TROLLEYS

NEW



BCCT 3 with accessories




BCCT 6 with accessories

Model	BCTT 3	BCTT 6
Model	Single-compartment model for 3 beverage crates, positioned one on top of the other	Double-compartment model for 6 beverage crates, 3 per compartment, positioned one on top of the other
Dimensions (L x W x H) in mm	468 x 673 x 1550	850 x 673 x 1550
Capacity	3 beverage crates (max. 400 x 330 x 350 mm)	6 beverage crates (max. 400 x 330 x 350 mm)
Load-bearing capacity	70 kg	
Castors	Synthetic castors, 125 mm dia., 2 fixed and 2 steering castors, 2 of which have brakes	
Special features	<ul style="list-style-type: none"> - Sturdy stainless-steel frame construction - Welded supports for beverage crates, sloped with raised edge for a secure hold - Optional panelling for mounting on the BCTT. Can therefore be easily removed for cleaning - Attachments like panelling and top can be retrofitted at any time 	
Material	made of corrosion-resistant steel	
Order no.	575 384	575 385

WIDE RANGE OF ACCESSORIES (see also the following pages)

- Side panelling on 2 sides, available coloured and in stainless steel
- Side and rear wall panelling on 3 sides, available coloured and in stainless steel
- Trolley top made of stainless steel with all-round railing – creates additional storage surface


OPTIONS AND ACCESSORIES

	Designation	For model	Colours	Order no.	
<p>Panelling on 2 sides, coloured, Lime</p> 	<p>Side wall panelling on 2 sides, coloured</p> <p>Panelling parts completely removable for cleaning,</p> <p>thin sheet, electrolytically galvanised on both sides,</p> <p>powder-coated in various colours</p>	TAW 10 GN, TAW 12 GN, TAW 16 GN, TAW 10 EN, TAW 12 EN, TAW 16 EN, all BCTT	Signal white Stone grey Graphite black Lime other colours	574 845 574 854 574 863 574 881 *378 441	
		all TAW KN	Signal white Stone grey Graphite black Lime other colours	574 847 574 856 574 865 574 883 *378 443	
		TAW 20 GN, TAW 24 GN, TAW 32 GN	all colours	*389 596	
		TAW 20 EN, TAW 24 EN, TAW 32 EN	all colours	*389 597	
		TAW 10 GN, TAW 12 GN, TAW 16 GN, TAW 10 EN, TAW 12 EN, TAW 16 EN, all BCTT		378 450	
		all TAW KN		378 452	
		TAW 20 GN, TAW 24 GN, TAW 32 GN		575 425	
		TAW 20 EN, TAW 24 EN, TAW 32 EN		575 426	
		<p>Side wall panelling on 2 sides, stainless steel</p> <p>Panelling parts completely removable for cleaning</p>			


***All panelling and doors are available in 12 different colours.**

B.PRO COLOURS

NEUTRAL COLOURS



Graphite black



Traffic grey B



Stone grey



Signal white

LIVING COLOURS



Broom yellow



Merlot red



Petrol green



Sea blue


FRESH COLOURS




Candy red



Neomint




Apple green



Lime






OPTIONS AND ACCESSORIES

	Designation	For model	Colours	Order no.
 <p>Panelling on 3 sides, stainless steel</p>	<p>Side and rear wall panelling on 3 sides, coloured</p> <p>Panelling parts completely removable for cleaning,</p> <p>thin sheet, electrolytically galvanised on both sides,</p> <p>powder-coated in various colours</p>	TAW 10 GN, TAW 12 GN, TAW 16 GN, BCTT 3	Signal white Stone grey Graphite black Lime other colours	574 848 574 857 574 866 574 884 *378 444
	TAW 10 EN, TAW 12 EN, TAW 16 EN	Signal white Stone grey Graphite black Lime other colours	574 849 574 858 574 867 574 885 *378 445	
	TAW 10 KN, TAW 12 KN	Signal white Stone grey Graphite black Lime other colours	574 850 574 859 574 868 574 886 *378 446	
	TAW 2 x 10 GN, TAW 2 x 12 GN, TAW 2 x 16 GN, BCTT 6	Signal white Stone grey Graphite black Lime other colours	574 851 574 860 574 869 574 887 *378 447	
	TAW 2 x 10 EN, TAW 2 x 12 EN, TAW 2 x 16 EN	Signal white Stone grey Graphite black Lime other colours	574 852 574 861 574 870 574 888 *378 448	
	TAW 2 x 10 KN, TAW 2 x 12 KN	Signal white Stone grey Graphite black Lime other colours	574 853 574 862 574 871 574 889 *378 449	
	TAW 20 GN, TAW 24 GN, TAW 32 GN	all colours	*389 599	
	TAW 20 EN, TAW 24 EN, TAW 32 EN	all colours	*389 600	
	<p>Side and rear wall panelling on 3 sides, stainless steel</p> <p>Panelling parts completely removable for cleaning</p>	TAW 10 GN, TAW 12 GN, TAW 16 GN, BCTT 3		378 453
	TAW 10 EN, TAW 12 EN, TAW 16 EN		378 454	
	TAW 10 KN, TAW 12 KN		378 455	
	TAW 2 x 10 GN, TAW 2 x 12 GN, TAW 2 x 16 GN, BCTT 6		378 456	
	TAW 2 x 10 EN, TAW 2 x 12 EN, TAW 2 x 16 EN		378 457	
	TAW 2 x 10 KN, TAW 2 x 12 KN		378 458	
TAW 20 GN, TAW 24 GN, TAW 32 GN		575 427		
TAW 20 EN, TAW 24 EN, TAW 32 EN		575 428		

OPTIONS AND ACCESSORIES

	Designation		For model	Order no.
Door, stainless steel 	Doors, coloured Thin sheet, electrolytically galvanised double-sided, powder-coated in various colours	1 door, hinged on the right	TAW 10 GN, TAW 12 GN, TAW 16 GN	*379 935
			TAW 10 EN, TAW 12 EN, TAW 16 EN	*379 940
			TAW 10 KN, TAW 12 KN	*379 941
			TAW 20 GN, TAW 24 GN, TAW 32 GN, TAW 20 EN, TAW 24 EN, TAW 32 EN	*389 598
		2 hinged doors	TAW 2 x 10 GN, TAW 2 x 12 GN, TAW 2 x 16 GN	*379 942
			TAW 2 x 10 EN, TAW 2 x 12 EN, TAW 2 x 16 EN	*379 943
			TAW 2 x 10 KN, TAW 2 x 12 KN	*379 944
	Doors, stainless steel	1 door, hinged on the right	TAW 10 GN, TAW 12 GN, TAW 16 GN	380 026
			TAW 10 EN, TAW 12 EN, TAW 16 EN	380 027
			TAW 10 KN, TAW 12 KN	380 028
			TAW 20 GN, TAW 24 GN, TAW 32 GN, TAW 20 EN, TAW 24 EN, TAW 32 EN	575 429
		2 hinged doors	TAW 2 x 10 GN, TAW 2 x 12 GN, TAW 2 x 16 GN	380 029
			TAW 2 x 10 EN, TAW 2 x 12 EN, TAW 2 x 16 EN	380 030
			TAW 2 x 10 KN, TAW 2 x 12 KN	380 031
Door with glass insert, coloured 	Doors with glass insert, coloured Thin sheet, electrolytically galvanised double-sided, powder-coated in various colours	1 door, hinged on the right	TAW 10 GN, TAW 12 GN, TAW 16 GN	*380 000
			TAW 10 EN, TAW 12 EN, TAW 16 EN	*380 002
			TAW 10 KN, TAW 12 KN	*380 005
		2 hinged doors	TAW 2 x 10 GN, TAW 2 x 12 GN, TAW 2 x 16 GN	*380 006
			TAW 2 x 10 EN, TAW 2 x 12 EN, TAW 2 x 16 EN	*380 008
			TAW 2 x 10 KN, TAW 2 x 12 KN	*380 009
		Doors with glass insert, stainless steel	1 door, hinged on the right	TAW 10 GN, TAW 12 GN, TAW 16 GN
	TAW 10 EN, TAW 12 EN, TAW 16 EN			380 033
	TAW 10 KN, TAW 12 KN			380 034
	2 hinged doors		TAW 2 x 10 GN, TAW 2 x 12 GN, TAW 2 x 16 GN	380 035
			TAW 2 x 10 EN, TAW 2 x 12 EN, TAW 2 x 16 EN	380 036
			TAW 2 x 10 KN, TAW 2 x 12 KN	380 037

OPTIONS AND ACCESSORIES

	Designation	For model	Order no.
Trolley top 	Stainless steel trolley top with all-round railing Roof completely removable for cleaning, stainless steel	TAW 10 GN, TAW 12 GN, TAW 16 GN, BCTT 3	574 246
		TAW 10 EN, TAW 12 EN, TAW 16 EN	574 247
		TAW 10 KN, TAW 12 KN	574 248
		TAW 2 x 10 GN, TAW 2 x 12 GN, TAW 2 x 16 GN, BCTT 6	574 249
		TAW 2 x 10 EN, TAW 2 x 12 EN, TAW 2 x 16 EN	574 250
		TAW 2 x 10 KN, TAW 2 x 12 KN	574 251
		TAW 20 GN, TAW 24 GN, TAW 32 GN	575 422
		TAW 20 EN, TAW 24 EN, TAW 32 EN	575 423
	Push handle No push handle is possible in combination with hinged doors. In combination with 1 door, the handle can only be mounted on the left.	all TAW	--
	Additional push-through protection (stainless steel rod) Not configurable in combination with 3-sided panelling	TAW 10, TAW 12, TAW 16	--
		TAW 2 x 10 KN, TAW 2 x 12 KN, TAW 2 x 16	--
		TAW 20, TAW 24, TAW 32	--
	Castors with galvanised steel housing	all TAW	--
			

THE B.PRO GROUP

Our customers are as diverse and varied as our portfolio. To ensure we do our very best for every client, we concentrate our skills, abilities and capacities in two highly specialised business units: B.PRO Catering Solutions – Products and systems for professional commercial kitchens. ENOXX Engineering – Custom-made high-precision pieces using stainless steel, aluminium or synthetics for industry.

All business units of B.PRO hold DIN EN ISO9001:2015 certification, guaranteeing a high standard of reliability and customer orientation.

B.PRO GmbH
B.PRO Catering Solutions
P.O. Box 13 10
75033 Oberderdingen
Germany
Phone +49 7045 44-81900
catering.export@bpro-solutions.com
www.bpro-solutions.com

B.PRO
CATERING SOLUTIONS